L Number	Hits	Search Text	DB	Time stamp
1	1	("6732249").PN.	USPAT	2004/05/13
2	6	("6317826" "6356965" "6430687"	USPAT	2004/05/13
52	43	"6446203" "6449203" "6643772").PN. network near controller adj memory	USPAT; EPO; JPO; DERWENT;	10:29 2004/05/13 10:39
53	13	network near controller adj memory and EEPROM	IBM_TDB USPAT; EPO; JPO; DERWENT;	2004/05/13
54	5	5878217.URPN.	IBM_TDB USPAT	2004/05/13
56	4	buffer\$3 same EEPROM same (host adj memory)	USPAT; EPO; JPO; DERWENT;	2004/05/13
57	16	(initializ\$5 near buffer\$3) same EEPROM	IBM_TDB USPAT; EPO; JPO; DERWENT;	2004/05/13 10:45
-	275	(709/216).ccls.	IBM_TDB USPAT	2004/05/13
-	5	6078733.URPN.	USPAT	2004/05/12
-	9	("5247626" "5299313" "5560029" "5613136" "5664116" "5682553" "5696936" "5751951" "5790804").PN.	USPAT	2004/05/12 10:33
-	42	5664116.URPN.	USPAT	2004/05/12
-	12	5664116.URPN. and (host adj memory)	USPAT	2004/05/12
_	8	5664116.URPN. and (host adj memory) same buffer\$3	USPAT	2004/05/12
_	19	5870627.URPN.	USPAT	2004/05/12
-	701	(709/212,213).CCLS.	USPAT	2004/05/12
-	391	((709/212,213).CCLS.) and buffer\$3	USPAT	2004/05/12
-	384	(711/165).CCLS.	USPAT	2004/05/12
-	2	("5907856" "5930815").PN.	USPAT	2004/05/12
-	885	(711/170).CCLS.	USPAT	2004/05/12
-	476	((711/170).CCLS.) and (buffer\$3)	USPAT	2004/05/12 12:04
-	13	5682553.URPN.	USPAT	2004/05/12
-	37	allocat\$3 same (host adj memory) near buffer	USPAT; EPO; JPO; DERWENT;	2004/05/12
-	10	5293487.URPN.	IBM_TDB USPAT	2004/05/12
-	22	5752078.URPN.	USPAT	13:19 2004/05/12
-	346	minnick.inv.	USPAT;	13:22 2004/05/12
-	36	minnick.inv. and memory	EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	13:40 2004/05/12 13:25
-	670	(711/141).CCLS.	IBM_TDB USPAT	2004/05/12 13:28

\$11.0

- 42	7 ((711/141).CCLS.) and (buffer\$3)	USPAT	2004/05/12 13:31
-	("5890216" "5918069" "6128711" "6338119").PN.	USPAT	2004/05/12
- 19	1	USPAT;	2004/05/12
		EPO; JPO; DERWENT; IBM TDB	13:40
2	(host adj memory) near buffer\$3 same (network adj (interface or adapter))	USPĀT; EPO; JPO; DERWENT;	2004/05/12 13:51
-	6 6078733.URPN.	IBM_TDB USPAT	2004/05/12
- 1	3 5682553.URPN.	USPAT	2004/05/12
- 80	updat\$ adj buffer\$3	USPAT; EPO; JPO; DERWENT;	2004/05/13 10:39
- 1	updat\$ adj buffer\$3 and (allocat\$3 near (host adj memory))	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2004/05/12 13:54
- 34	initializ\$3 near driver	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/05/12 13:54
_ 1	initializ\$3 near driver same second	USPAT; EPO; JPO; DERWENT;	2004/05/12 13:55
31	initializ\$3 adj buffer	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2004/05/12 13:56
- 31	initializ\$3 adj buffer\$	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/05/12 13:57
-	initializ\$3 adj buffer\$ and (driver near initializ\$3)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/05/12 13:56
6	initializ\$3 adj buffer\$ and (allocat\$3 near memory)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/05/12 13:57
3	initializ\$3 adj buffer\$ and (allocat\$3 near memory) and (interface or adapter or controller) and network	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/05/12 14:02
-	(host adj memory) and (EEPROM adj buffer\$3)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/05/12 14:03
- 187	(host adj memory) and buffer\$3	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/05/12 14:46
- 20	(host adj memory) and buffer\$3 and (physical adj layer)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/05/12 14:04
- 14	(host adj memory) and buffer\$3 and (physical adj layer) and (NIC or (network adj (interface or adapter or controller)))	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/05/12 14:07
- 10		USPAT; EPO; JPO; DERWENT; IBM TDB	2004/05/12

-	99	(host adj memory) and buffer\$3 and	USPAT;	2004/05/12
		(physical adj layer) and (NIC or (network	EPO; JPO;	14:26
		adj (interface or adapter or	DERWENT;	
		<pre>controller))) and (allocat\$3) and initial\$5</pre>	IBM_TDB	
_	9	("4419728" "4888691" "5315708"	USPAT	2004/05/12
-		"5522050" "5737634" "5893926"	USPAI	14:15
		"5937436" "5983332" "6049857").PN.		14.15
_	0	6397316.URPN.	USPAT	2004/05/12
	•		001111	14:16
_	97	host adj memory adj buffer\$3	USPAT;	2004/05/12
			EPO; JPO;	14:26
			DERWENT;	
			IBM_TDB	
-	82	host adj memory adj buffer\$3 and (modif\$5	USPAT;	2004/05/12
		or updat\$3 or cop\$5)	EPO; JPO;	14:27
			DERWENT;	
			IBM_TDB	0004/05/40
-	56	host adj memory adj buffer\$3 and	USPAT;	2004/05/12
		((modif\$5 or updat\$3 or cop\$5) near (data	EPO; JPO; DERWENT;	14:28
		or content or packet or datagram))	IBM TDB	
_	19	5870627.URPN.	USPAT	2004/05/12
	+9	05.0527.0KLM.	351131	14:37
_	. 88	(host adj memory) and buffer\$3 and	USPAT;	2004/05/12
	1	(cach\$3 adj coheren\$5)	EPO; JPO;	14:46
		· · · · · · · · · · · · · · · · · · ·	DERWENT;	
	1		IBM TDB	
_	41	(host adj memory) and buffer\$3 and	USPĀT;	2004/05/12
		(cach\$3 adj coheren\$5) and (network adj	EPO; JPO;	15:09
		(adapter or controller or interface))	DERWENT;	
			IBM_TDB	/ /
_	427	((711/141).CCLS.) and buffer\$3	USPAT	2004/05/12
	151	//711/141\ CCIC \ and buffered and	IICDAM	15:02
_	151	((711/141).CCLS.) and buffer\$3 and (allocat\$3 same memory)	USPAT	2004/05/12 15:03
_	145	((711/141).CCLS.) and buffer\$3 and	USPAT	2004/05/12
	143	(allocat\$3 same memory) and cache	OSIAI	15:03
1 -	64	(copy\$3 or mov\$3 or transmit\$4) adj	USPAT;	2004/05/12
		(content or data or packet or fragment or	EPO; JPO;	15:18
	Ī	datagram) adj buffer\$3 and (host adj	DERWENT;	
İ		memory)	IBM_TDB	
-	40	(copy\$3 or mov\$3 or transmit\$4) adj	USPAT;	2004/05/12
		(content or data or packet or fragment or	EPO; JPO;	15:29
		datagram) adj buffer\$3 and (host adj	DERWENT;	
		memory) and (network adj (interface or	IBM_TDB	
_	20	adapter or controller)) 5307459.URPN.	TICDAM	2004/05/12
-	28	330/439.UKPN.	USPAT	15:25
_	9	(copy\$3 or mov\$3) adj (content or data or	USPAT;	2004/05/12
		packet or fragment or datagram) adj	EPO; JPO;	15:46
		buffer\$3 and (host adj memory) and	DERWENT;	
	İ	(network adj (interface or adapter or	IBM_TDB	,
		controller))	_	
-	889	host adj memory same buffer\$3	USPAT;	2004/05/12
			EPO; JPO;	17:30
			DERWENT;	
			IBM_TDB	2004/05/12
-	31	host adj memory same buffer\$3 and (cache	USPAT;	2004/05/12 15:53
		adj coherenc\$5)	EPO; JPO; DERWENT;	10:53
			IBM TDB	
-	191	web adj cach\$3	USPAT;	2004/05/12
			EPO; JPO;	16:29
			DERWENT;	
			IBM TDB	
-	116	web adj cach\$3 and (updat\$3)	USPAT;	2004/05/12
			EPO; JPO;	16:30
			DERWENT;	
	L		IBM_TDB	

-	29	web adj cach\$3 and (updat\$3) and buffer	USPAT;	2004/05/12
			EPO; JPO;	16:30
			DERWENT;	
1			IBM_TDB	/
-	31	web adj cach\$3 and (updat\$3) and buffer\$3	USPAT;	2004/05/12
			EPO; JPO;	16:30
			DERWENT;	
			IBM_TDB	2004/05/12
-	8		USPAT;	2004/05/12
		adj buffer\$3)	EPO; JPO;	16:34
	l j		DERWENT;	
	1	/!! 422270E!! \ mxt	IBM_TDB USPAT	2004/05/12
-	1	("4322795").PN.	USPAI	16:33
1_	87	4322795.URPN.	USPAT	2004/05/12
	"	1322733.0KIN.	OBIAI	16:33
_	1426	cach\$3 and (updat\$3) and (memory adj	USPAT;	2004/05/12
	*	buffer\$3)	EPO; JPO;	16:34
Ì			DERWENT;	
			IBM TDB	
-	212	cach\$3 and (updat\$3) and ((memory adj	USPAT;	2004/05/12
		buffer\$3) same host)	EPO; JPO;	16:35
			DERWENT;	
			IBM TDB	
_	63	cach\$3 and (updat\$3) and ((memory adj	USPAT;	2004/05/12
		buffer\$3) same host) and (network adj	EPO; JPO;	16:35
		(controller or adapter or interface))	DERWENT;	
		•	IBM TDB	
-	25		USPAT;	2004/05/12
		buffer\$3) same host) and (network adj	EPO; JPO;	16:38
		(controller or adapter or interface)) and	DERWENT;	
		(coherenc\$5 or consisten\$5)	IBM_TDB	
-	6	6122712.URPN.	USPAT	2004/05/12
	_		***	16:49
-	7	1	USPAT;	2004/05/12
		buffer	EPO; JPO; DERWENT;	16:30
			IBM TDB	
_	4	("5959639" "6339427" "6353874"	USPAT	2004/05/12
	1	"6438665").PN.	******	16:53
_	2	6438665.URPN.	USPAT	2004/05/12
	_			16:53
_	21	("4811294" "5276834" "5357475"	USPAT	2004/05/12
		"5357614" "5392288" "5428630"		16:53
		"5459850" "5479638" "5485595"		
	1	"5513137" "5515333" "5519847"		
	İ	"5524096" "5559742" "5581723"		
		"5603001" "5638386" "5651128"		
		"5668976" "5754566" "5754567").PN.	HODAE	2004/05/12
-	136	initializ\$3 adj driver	USPAT;	2004/05/12
			EPO; JPO; DERWENT;	17:22
			IBM TDB	
1_	12	 initializ\$3 adj driver same allocat\$3	USPAT;	2004/05/12
	12	interaction and direct same attocates	EPO; JPO;	16:59
	1		DERWENT;	
			IBM TDB	
-	529	allocat\$3 near memory near space and	USPĀT;	2004/05/12
		buffer\$3	EPO; JPO;	16:59
1		, -	DERWENT;	
			IBM TDB	
-	351	allocat\$3 near memory near space and	USPAT;	2004/05/12
	1	buffer\$3 and controller	EPO; JPO;	16:59
	1		DERWENT;	
			IBM_TDB	
-	203	allocat\$3 near memory near space and	USPAT;	2004/05/12
		buffer\$3 and controller and copy\$3	EPO; JPO;	17:00
			DERWENT;	
1	ĺ	I	IBM TDB	ı

-	35		USPAT;	2004/05/12
		buffer\$3 and controller and copy\$3 and	EPO; JPO;	17:04
		(host near memory)	DERWENT;	
	l		IBM TDB	
-	0	6397316.URPN.	USPAT	2004/05/12
				17:01
_	9	("4419728" "4888691" "5315708"	USPAT	2004/05/12
		"5522050" "5737634" "5893926"	001111	17:01
		"5937436" "5983332" "6049857").PN.		17.01
1	ا م		IICDAM.	2004/05/12
-	24	allocat\$3 near space same (host adj	USPAT;	· · · · · · · · · · · · · · · · · · ·
		memory)	EPO; JPO;	17:15
			DERWENT;	
			IBM_TDB	
-	2	driver adj initial\$5 adj speed	USPAT;	2004/05/12
			EPO; JPO;	17:21
			DERWENT;	
			IBM TDB	1
 	26	initializ\$3 adj driver and (memory adj	USPAT;	2004/05/12
j]	buffer\$3)	EPO; JPO;	17:24
		Bulletys	DERWENT;	
			IBM TDB	
	1	initializ\$5 near driver near buffer\$3	USPAT;	2004/05/12
-	-	INTUIALIZAS HEAT GIIVEI HEAT DUITEIAS		17:24
			EPO; JPO;	1/:24
			DERWENT;	[
			IBM_TDB	0004/05/55
-	236	"driver initialization"	USPAT;	2004/05/12
			EPO; JPO;	17:30
			DERWENT;	
			IBM TDB	
-	23	"driver initialization" same controller	USPAT;	2004/05/12
			EPO; JPO;	17:30
		·	DERWENT;	
			IBM TDB	
	156	"driver initialization" and (interface	USPAT;	2004/05/12
-	156		,	17:31
		adj specs or specification)	EPO; JPO;	17:31
			DERWENT;	
			IBM_TDB	0004/05/10
-	51	"driver initialization" and (interface	USPAT;	2004/05/12
		adj (specs or specification))	EPO; JPO;	17:31
			DERWENT;	
			IBM_TDB	
_	43	"driver initialization" and (interface	USPAT;	2004/05/12
		adj (specs or specification)) and "host	EPO; JPO;	17:48
		memory"	DERWENT;	
		_	IBM TDB	
1_	12	NDIS adj environment	USPĀT;	2004/05/12
İ			EPO; JPO;	18:01
	1		DERWENT;	
		•	IBM TDB	
_	40	NDIS same speed	USPAT;	2004/05/12
1	40	MDID Dame Speed	EPO; JPO;	17:50
1			DERWENT;	
1			IBM TDB	
		NDIG - 44 dui		2004/05/12
-	73	NDIS adj driver	USPAT;	2004/05/12
			EPO; JPO;	18:14
			DERWENT;	
			IBM_TDB	
-	3	NDIS adj driver same initializ\$5	USPAT;	2004/05/12
			EPO; JPO;	18:02
			DERWENT;	
			IBM_TDB	
-	1	NDIS and (miniport adj initializ\$5)	USPAT;	2004/05/12
}			EPO; JPO;	18:05
			DERWENT;	
1			IBM TDB	
1_	80	NDIS and EEPROM	USPAT;	2004/05/12
1	80	NDIS and EEFRON		18:05
			EPO; JPO;	10:03
			DERWENT;	1
İ	I		IBM TDB	1

[-	79	NDIS and EEPROM and time	USPAT;	2004/05/12
	'		EPO; JPO;	18:05
			DERWENT;	
			IBM TDB	
_	59	NDIS and EEPROM and time and	USPAT;	2004/05/12
		initialization	EPO; JPO;	18:05
			DERWENT;	20.00
			IBM TDB	
_	45	NDIS and EEPROM and (time same	USPAT;	2004/05/12
		initialization)	EPO; JPO;	18:05
			DERWENT;	20.00
			IBM TDB	
l <u>-</u>	21	(NDIS near driver) and EEPROM and (time	USPĀT;	2004/05/12
		same initialization)	EPO; JPO;	18:08
			DERWENT;	
			IBM TDB	
_	4	(NDIS near driver) and EEPROM and (time	USPAT;	2004/05/12
	1	same initialization) and IROL	EPO; JPO;	18:08
		Same Interactory and Ingl	DERWENT;	10.00
			IBM TDB	
_	41	(NDIS near driver) and fast	USPAT;	2004/05/12
			EPO; JPO;	18:12
			DERWENT;	
			IBM TDB	
_	26	NIC same initialization same (speed or	USPAT;	2004/05/12
		time)	EPO; JPO;	18:12
			DERWENT;	
			IBM TDB	
_	151	 memory adj process\$3 adj speed	USPAT;	2004/05/12
	151		EPO; JPO;	18:13
			DERWENT;	
			IBM TDB	
_	25	memory adj process\$3 adj speed and driver	USPAT;	2004/05/12
			EPO; JPO;	18:13
			DERWENT;	[
			IBM TDB	1
_	47	NDIS adj driver and buffer\$3	USPAT;	2004/05/12
			EPO; JPO;	18:14
			DERWENT;	
			IBM TDB	
_	34	NDIS adj driver and buffer\$3 and	USPAT;	2004/05/12
		initialization	EPO; JPO;	18:14
		•	DERWENT;	
			IBM TDB	
_	13	NDIS adj driver and buffer\$3 and	USPĀT;	2004/05/12
		initialization and (host adj memory)	EPO; JPO;	18:16
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	DERWENT;	
	1		IBM TDB	
_	8	NDIS adj driver and buffer\$3 and	USPAT;	2004/05/12
		initialization and (host adj memory) and	EPO; JPO;	18:16
		EEPROM	DERWENT;	
			IBM TDB	